

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH)

Page: 1

Compilation date: 23.06.2017

Revision date: 15.12.2020

Revision No: 1.2

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name:** GRANIT TAB F**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** Special cleaning tab for professional users**1.3. Details of the supplier of the safety data sheet****Company name:** KLEEN PURGATIS GmbH

Dieselstraße 10

32120 Hiddenhausen

Germany

**Tel:** +49 (0)5223 - 9970-40**Fax:** +49 (0)5223 - 9970-195**Email:** info@kleen-purgatis.de**1.4. Emergency telephone number****Emergency tel:** +49 (0)551 - 19240 (GIZ-Nord)**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Skin Corr. 1A: H314**Most important adverse effects:** Causes severe skin burns and eye damage.**2.2. Label elements****Label elements:****Hazard statements:** H314: Causes severe skin burns and eye damage.**Hazard pictograms:** GHS05: Corrosion**Signal words:** Danger**Hazard components for labelling:** Sodium hydroxide, Disodium metasilicate**Precautionary statements:** P101: If medical advice is needed, have product container or label at hand.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 2

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-0000

EINECS	CAS	SCL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	50-60%

SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-0000

207-838-8	497-19-8	-	Eye Irrit. 2: H319	10-20%
-----------	----------	---	--------------------	--------

DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-0000

229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%
-----------	-----------	---	--------------------------------------	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Do not induce vomiting. Consult a doctor.

**Inhalation:** Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Irritation or pain may occur at the site of contact. Severe burns may occur.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

**Inhalation:** Not applicable.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Show this safety data sheet to the doctor in attendance.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Extinguishing media which must not be used for safety reasons: Full water jet (fire fighting water forms corrosive acid solutions).

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable method of disposal.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Avoid contact with water or humidity.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** PC35: Washing and cleaning products (including solvent based products).

## Section 8: Exposure controls/personal protection

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 4

## 8.1. Control parameters

**Hazardous ingredients:**

### SODIUM HYDROXIDE

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m <sup>3</sup>	-	-

## DNEL/PNEC Values

**Hazardous ingredients:**

### SODIUM HYDROXIDE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	1,0 mg/m <sup>3</sup>	Workers	Local
DNEL	Dermal	2%	Workers	Local

### SODIUM CARBONATE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	10 mg/m <sup>3</sup>	Workers	-

### DISODIUM METASILICATE

Type	Exposure	Value	Population	Effect
DNEL	Dermal	1,49 mg/kg	Workers	Systemic
DNEL	Inhalation	6,22 mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	0,74 mg/kg	Population	Systemic
DNEL	Inhalation	1,55 mg/m <sup>3</sup>	Population	Systemic
DNEL	Oral	0,74 mg/kg	Population	Systemic
PNEC	Fresh water	7,5 mg/l	-	-

## 8.2. Exposure controls

**Engineering measures:** Not applicable.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Gloves (alkali-resistant).

**Eye protection:** Tightly fitting safety goggles.

**Skin protection:** Not applicable.

**Environmental:** No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Solid

**Colour:** White

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 5

<b>Odour:</b>	Barely perceptible odour		
<b>Evaporation rate:</b>	Not applicable.		
<b>Oxidising:</b>	Non-oxidising (by EC criteria)		
<b>Solubility in water:</b>	Soluble		
<b>Viscosity:</b>	Not applicable.		
<b>Boiling point/range°C:</b>	Not applicable.	<b>Melting point/range°C:</b>	No data available.
<b>Flammability limits %: lower:</b>	Not applicable.	<b>upper:</b>	Not applicable.
<b>Flash point°C:</b>	Not applicable.	<b>Part.coeff. n-octanol/water:</b>	No data available.
<b>Autoflammability°C:</b>	Not applicable.	<b>Vapour pressure:</b>	Not applicable.
<b>Relative density:</b>	No data available.	<b>pH:</b>	13 (1%)
<b>VOC g/l:</b>	Not applicable.		

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Humidity.

### 10.5. Incompatible materials

**Materials to avoid:** Acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** Not applicable.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 6

## SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

## SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

## DISODIUM METASILICATE

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** Irritation or pain may occur at the site of contact. Severe burns may occur.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Nausea and stomach pain may occur.

**Inhalation:** Not applicable.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

#### Hazardous ingredients:

#### SODIUM HYDROXIDE

Daphnia magna	24H EC50	76	mg/l
Gambusia affinis	96H LC50	125	mg/l

#### SODIUM CARBONATE

Freshwater Invertebrates	48H EC50	200-227	mg/l
Lepomis macrochirus	96H LC50	300	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** The surfactant(s) contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 7

## 12.4. Mobility in soil

**Mobility:** No data available.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 20 01 29

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN3262

### 14.2. UN proper shipping name

**Shipping name:** CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide, Disodium metasilicate)  
(LQ: 1kg)

### 14.3. Transport hazard class(es)

**Transport class:** 8

### 14.4. Packing group

**Packing group:** II

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** E

**Transport category:** 2

## Section 15: Regulatory information

[cont...]

# SAFETY DATA SHEET

GRANIT TAB F

Page: 8

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**\*Specific regulations:** Ingredients according to Regulation (EC) No 648/2004:  
5-15% polycarboxylates

## 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

Data references: Safety data sheets from our raw material suppliers.

Department issuing MSDS: Product Development Department;

Contact: Mrs. Klumpe, Mr. Rethmeier

**Classification for mixtures and used evaluation method according to Article 9 of regulation (EC) 1272/2008 [CLP]:**

Calculation method

**Phrases used in s.2 and s.3:** H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Legal disclaimer:** The above information is believed to be correct. This company shall not be held liable for any damage resulting from handling or from contact with the above product.